

Early Years Menu Evaluation Report

For

Sebright Children's Centre

Prepared by: Dominic Green Health Education Partnership

27th March 2024

www.healtheducationpartnership.com

Health Education Partnership Limited (Registered Company No. 07161114) 108 Magdalen Road NR3 4AN



CONTENTS

Introduction	3
Summary of menu requirements	3
Menu review checklist	12
Analysed menu	17



INTRODUCTION:

This report has been developed to help early years providers to meet the Early Years Foundation Stage (EYFS) welfare requirement for the provision of healthy, balanced and nutritious food and drink. This report provides an evaluation of the menu provided compared to the recommended standards detailed in the *Voluntary Food and Drink Guidelines in Early Years Settings in England (2012), updated in 2017.*

Refer to the Eat Better Start Better Voluntary Food and Drink Guidelines for Early Years in England for all details related to this menu audit report.

 $\underline{https://www.gov.uk/government/publications/example-menus-for-early-years-settings-in-england}$

Requirements of young children

It is important that 1-4 year olds get enough energy (calories) for growth and development. While adults and children aged over 5 are encouraged to eat a diet that is high in starchy foods and low in fat, younger children on this sort of diet may not have the appetite to eat enough food to provide all the nutrients they need. 1-4 year olds will need regular meals which are 'nutrient-dense' – that means meals that provide energy and nutrients without being very bulky. Avoid giving under-5s low-fat foods that are designed for adults.

For young children in a full day setting: Breakfast, Lunch, Tea and am and pm snacks are recommended, with all meals and snacks being no more than 3 hours apart.

Summary of menu guidelines

The Voluntary Food and Drink Guidelines in Early Years Settings in England (2012) updated in 2017 as follows:

The food groups:

- Potatoes, bread, rice, pasta and other starchy carbohydrates
 - 4 portions of starchy food are provided each day: the recommendation is for 4 portions to be provided throughout a full day care setting, to help ensure that young children are getting enough energy, B vitamins and other important nutrients. Ensuring that at least one of the snacks throughout the day is based on starchy foods will provide 4 portions of this food group.
- Fruit and vegetables

5 portions of a variety of fruit and vegetables are provided each day, a portion with each main meal and with some snacks. This will help ensure that children are consuming a range of important vitamins and minerals. To help ensure that sugar levels are kept to a minimum: dried fruit is recommended to be provided at full meal times only, and not as a snack. To further reduced sugar and salt levels: canned vegetables and pulses with no added salt or sugar should be used; canned fruit in



natural juice not in syrup should be used; reduced salt and sugar baked beans should be used, and only served as a vegetable once per week.

• Beans, pulses, fish, eggs, meat and other proteins

A minimum of 2 portions of this food group are recommended per day (2-3 portions of non-dairy sources of protein for vegetarians), to provide adequate protein, iron and zinc.

Oily fish, which is provided at least once every 3 weeks throughout the menus, is a good source of omega 3, vitamins A and D.

• Dairy and alternatives

Young children should have a total of 3 portions of this food group each day, provided as part of meal, snacks and drinks.

Breakfast

Breakfast is an important meal and fortified breakfast cereals can make an important contribution to daily vitamin and mineral intakes. Choose cereals which are low in added salt and sugar.

During full day care, it is estimated that Breakfast should provide approximately 20% of energy requirements.

A starchy portion is provided as part of breakfast each day, which will provide energy and a variety of other important nutrients.

In order to limit sugar, the selection of breakfast cereals should include those which contain low or medium sugar content, and not include sugar-coated or chocolate-flavoured cereals or other cereals high in sugar.

The selection of cereals should ensure at least 3 different varieties of starchy food across breakfast each week, e.g. porridge, wheat biscuits, rice crispies.

In order to limit salt, choose bread and bread products with a low salt content where possible. The mix of white and brown toast and a mix of some wholegrain breakfast cereals will ensure a good mix of wholegrain and white starchy foods.

Semi skimmed milk can be used on breakfast cereals for children who are aged 2 years and over, provided they are growing and thriving well. For those aged under 2 years, whole milk should be used. Goats' milk, sheep's milk and unsweetened calcium fortified soya milk can be served on breakfast cereal for children over the age of 1 year.

The guidelines include the recommendation for a portion of fruit and/or vegetables to be included as part of breakfast each day, e.g. porridge with raisins, chopped banana on toast.

Avoid fruit juice (even diluted fruit juice). Fruit juice (including fruit juice from concentrate) provides nutrients such as vitamin C but it also contains large amounts of fruit sugar (fructose), and is acidic. Fruit sugar and acid can cause tooth decay in children.



Breakfast at a glance

Menu planning advice

Breakfast is an important meal for young children. Settings should liaise with parents to make sure that children always eat breakfast, whether at home or when they arrive at the setting.

Food groups	Food and drink guidelines
Potatoes, bread, rice, pasta and other starchy carbohydrates	 Provide a portion of starchy food as part of breakfast each day. Provide at least three different types of starchy food across breakfast each week, for example cornflakes, wholegrain toast and porridge. Provide a variety of wholegrain and white starchy foods
	 as part of breakfast each week. It is good practice to provide wholegrain starchy foods for at least one breakfast each week. Choose breakfast cereals with the lowest sugar content. Choose those which are labelled as 'low' (green) or 'medium' (amber) in sugar. Avoid cereals labelled as 'high' (red) in
	 sugar such as sugar-coated or chocolate-flavoured cereals. Choose bread and bread products with a lower salt content. Choose those which are labelled as 'low' (green) or 'medium' (amber) in salt.
Fruit and vegetables	Provide a portion of vegetables or fruit at breakfast each day.
Beans, pulses, fish, eggs, meat and other proteins	Foods from this group provide a useful source of iron and zinc and can be provided as part of breakfast.
Dairy and alternatives	It is best practice to provide three portions of milk and dairy foods each day (including those provided at home); one of these can be provided as breakfast each week.
Drinks	 Children must have access to fresh drinking water. Provide only fresh tap water and plain milk for children to drink.



Morning and afternoon snacks

Children need to eat regularly and need nutritious snacks between meals. The best snacks are those which are low in added sugar. A variety of snacks should be offered including fruit, vegetables, milk, yoghurt, any type of bread, and sandwiches with savoury fillings. The recommendation is to provide a starchy food (3 different varieties per week) and a protein food (meat, fish, eggs, and meat alternative) once or twice a week.

It is recommended that each snack should provide approximately 10% of energy requirements. 2-3 snacks should be provided each day when a child may be attending only part of the day and requires a substantial snack. Suitable snacks are offered between breakfast and lunch and between lunch and tea.

Fruit and vegetables are recommended to be provided as part of some mid-morning snacks, which are a good source of vitamins, minerals and dietary fibre. The guidelines recommend that dried fruit should not be provided at snack times but only at meal times. This is because of the high sugar content and it sticks to children's teeth and may damage them.

Mid-morning and mid-afternoon snacks at a glance

Menu planning advice	Plan menus for snacks to ensure that they are varied across the week and that the food provision across the day is balanced
	Avoid sweet foods such as cakes, biscuits and confectionery between meals.

Food groups	Food and drink guidelines
Potatoes, bread, rice, pasta and other starchy carbohydrates	 Provide a starchy food such as crackers, breadsticks, bread, rice cakes as part of at least one snack each day. Provide at least three different varieties of starchy food across snacks each week. Choose bread and bread products with a lower salt content. Choose those which are labelled as 'low' (green) or 'medium' (amber) in salt.
Fruit and vegetables	 Provide vegetables or fruit as part of some snacks. Provide a variety of vegetables or fruit across the day, and each week. Dried fruit should not be provided as part of snacks.
Beans, pulses, fish, eggs, meat and other proteins	Foods from this group provide a useful source of iron and zinc and can be provided as part of snacks once or twice each week.



Dairy and alternatives	It is best practice to provide three portions of milk and dairy foods each day (including those provided at home); one of these can be provided as part of snacks.
Drinks	 Children must have access to fresh drinking water. Provide only fresh tap water and plain milk for children to drink.

Drinks

Children should have access to drinking water, and be encouraged to help themselves throughout the day, to help ensure they drink the recommended 6-8 drinks a day. (They may need more in hot weather and after physical activity.)

Water and milk are the only drinks that should be provided between meals and snacks, as they don't damage teeth.

Avoid fruit juice (even diluted fruit juice). Fruit juice (including fruit juice from concentrate) provides nutrients such as vitamin C but it also contains large amounts of fruit sugar (fructose), and is acidic. Fruit sugar and acid can cause tooth decay in children. In addition drinks such as fruit juice drinks (which contain only a small proportion of fruit juice), soft drinks (squash, fizzy drinks, energy drinks), tea, coffee should never be provided.

Note: Revised guidelines recommending avoiding fruit juice with water or milk as the preferred choice.

Lunch

During full day care, it is estimated that lunch should provide approximately 30% of energy requirements.

For each lunch on the menu cycle to meet the EBSB voluntary guidance the following recommendation need to be followed:

- Each lunch includes a main course and dessert.
- A starchy portion is provided as part of lunch every day.
- At least 3 different starchy foods are served every week with lunch (a combination of pasta, rice and potatoes).
- There are wholegrain and white varieties of starchy food provided. (The guidance recommends that as good practice wholegrain starchy foods are provided at least once a week with lunch.)
- Fried starchy foods have been limited to well below the maximum of once a week at lunch:
- A portion of fruit and/or vegetables is provided as part of lunch every day, with a variety being offered across the week.



- A portion of meat, fish, egg, beans, pulses (and other proteins) are provided as part of lunch every day, with a variety being offered across the week.
- The guidelines recommend that one lunch is provided for all children each week which uses a meat alternative or pulses as the protein source. These recipes include pulses such as: beans (kidney beans, haricot beans, butter beans, pinto beans, broad beans), chick peas, red and green lentils, split peas, processed peas and baked beans.
- It is good practice to provide vegetarian or vegan children with a variety of meat alternatives, pulses or *nuts (be allergy aware <u>www.allergyuk.org</u> *)
- Oily fish is provided at least once every three weeks as part of lunch or tea.

Lunch Desserts

- A good variety of desserts are provided throughout the menu: Fruit based desserts will provide a range of important vitamins and minerals, and help children achieve their 5 a day; milk based desserts are good sources of calcium.
- The use of confectionary in the desserts is limited as young children are vulnerable to tooth decay, as the enamel on their teeth is not as developed as that on an adult's teeth – therefore limiting sugar levels will help protect their teeth.
- Milk based puddings should be made with whole milk to ensure there is enough energy provided. Skimmed milk must not be provided for children aged under 5 years old.
- Full fat yoghurts, fromage frais etc should be used for children under the age of 2 years old. Low fat varieties can be introduced for children over the age of 2 years, if they are growing and thriving well.

Lunchataglance

Menu planning advice	Each lunch should include a main course and a dessert. Vary the desserts you offer with lunch each week. Provide a variety of different desserts each week (e.g. fruit-based such as apple crumble, dairy-based desserts such as rice pudding) and limit provision of cakes and biscuits.
----------------------	---

Food groups	Food and drink guidelines	
Potatoes, bread,	Provide a portion of starchy food as part of each lunch.	
rice, pasta and other starchy carbohydrates	Provide at least three different starchy foods as part of lunches each week.	
	\bigcirc Provide a variety of wholegrain and white starchy foods each week.	
	It is good practice to provide wholegrain starchy foods for at least one lunch each week.	
	S Limit starchy foods which have been fried to once a week at lunch.	
	💿 Limit canned pasta in sauce.	
	Avoid flavoured dried rice, pasta and noodle products e.g. packets and pots of instant flavoured noodles, pasta and rice.	



Fruit and vegetables	S Provide a portion of vegetables and/or fruit as part of lunch each day.
	\bigcirc Provide a variety of vegetables and fruit across the week at lunch time.
	Check product labels to choose canned vegetables and pulses without added salt and sugar, fruit canned in juice not syrup and reduced salt and sugar baked beans. Baked beans can count as a vegetable only once during each week.
Beans, pulses, fish, eggs, meat and	Provide a portion of beans, pulses, fish, eggs, meat (e.g. red meat or poultry) or other proteins (e.g. meat alternatives) as part of lunch each day.
other proteins	Provide a variety of foods from this group as part of lunch across the week.
	It is good practice to provide a portion each of beans, pulses, fish, eggs, meat (e.g. red meat and poultry) or other proteins (e.g. meat alternatives) each week as part of lunch.
	Provide vegetarian children with a variety of protein sources such as pulses, eggs and meat alternatives each week as part of lunch.
	Provide one lunch for all children each week which uses pulses or a meat alternative as the protein source.
	Provide oily fish (such as salmon, sardines or pilchards) at least once every three weeks; this can be provided as part of lunch or tea.
	Limit the provision of meat products (e.g. sausages, meatballs), fish products (e.g. fish fingers, fish cakes), and products made from meat alternatives (e.g. vegetarian sausages), to once a week for each of the three types.
Dairy and alternatives	It is best practice to provide three portions of milk and dairy foods each day (including those provided at home); one portion of milk or a dairy food and/or a milk-based pudding can be provided as part of lunch.
Drinks	Schildren must have access to fresh drinking water.
	Provide only fresh tap water and plain milk for children to drink.

Теа

During full day care, it is estimated that Tea should provide approximately 20% of energy requirements. For each tea on the menu cycle to meet the EBSB voluntary guidance the following recommendation need to be followed:

- Each tea includes a main course.
- A starchy portion is provided as part of tea every day.
- The guidelines recommend that at least 3 different starchy foods are served every week with tea, this standard has been met
- The guidance recommends that as good practice wholegrain starchy foods are provided at least once a week with tea.
- A portion of fruit and/or vegetables should be provided as part of tea every day, with a variety across the week.
- The guidelines recommend that one portion of a variety of meat, fish, meat alternatives, eggs or pulses is provided as part of tea every day.
- The guidelines also recommend that one tea is provided for all children each week which uses a meat alternative or pulses as the protein source.



• A portion of oily fish is provided at least once every 3 weeks as part of lunch or tea.

Tea Desserts

• See notes above for lunch desserts

Tea at a glance

Menu planning advice Seach tea should include a main course and a dessert. Vary the desserts you offer with tea each week. For light meals (typically tea) provide fruit (such as seasonal fruit salad) and/or dairy-based desserts such as yoghurt, and avoid cakes and biscuits.			
Food groups	Food and drink guidelines		
Potatoes, bread, rice, pasta and other starchy carbohydrates	 Provide a portion of starchy food as part of each tea. Provide at least three different starchy foods as part of teas each week. Provide a variety of wholegrain and white starchy foods each week. It is good practice to provide wholegrain starchy foods for at least one tea each week. Limit starchy foods which have been fried to once a week at tea. Limit canned pasta in sauce. Avoid flavoured dried rice, pasta and noodle products e.g. packets and pots of instant flavoured noodles, pasta and rice. 		
Fruit and vegetables	 Provide a portion of vegetables and/or fruit as part of tea each day. Provide a variety of vegetables and fruit across the week at tea time. Check product labels to choose canned vegetables and pulses without added salt and sugar, fruit canned in juice not syrup, and reduced salt and sugar baked beans. Baked beans can count as a vegetable only once during each week. 		
Beans, pulses, fish, eggs, meat and other proteins	 Provide a portion of beans, pulses, fish, eggs, meat (e.g. red meat or poultry) or other proteins (e.g. meat alternatives) as part of tea each day. Provide a variety of foods from this group as part of tea across the week. It is good practice to provide a portion each of beans, pulses, fish, eggs, meat (e.g. red meat and poultry) or other proteins (e.g. meat alternatives) each week as part of tea. 		
	Provide vegetarian children with a variety of protein sources such as pulses, eggs and meat alternatives each week as part of tea.		
	Provide one tea for all children each week which uses pulses or a meat alternative as a protein source.		
	Provide oily fish (such as salmon, sardines or pilchards) at least once every three weeks; this can be provided as part of lunch or tea.		
	Limit the provision of meat products (e.g. sausages, meatballs), fish products (e.g. fish fingers, fish cakes), and products made from meat alternatives (e.g. vegetarian sausages), to once a week for each of the three types.		



Dairy and alternatives	It is best practice to provide three portions of milk and dairy foods each day (including those provided at home); one of these can be provided as part of tea.
Drinks	 Children must have access to fresh drinking water. Provide only fresh tap water and plain milk for children to drink.



MENU REVIEW CHECKLIST			
Name of setting: Sebright Children's Centre Review Date: 27 th March 2024			
Foor	and drink guidelines	Has the food and drink guideline been met?	
Food and drink guidelines		Yes/No	, , , , , , , , , , , , , , , , , , ,
	: Used to evaluate food and drink provision for each meal and s	nack offere	ed to children
Brea	kfast		
1.1	Provide a portion of starchy food as part of breakfast each day.	\checkmark	
1.2	Provide at least three different varieties of starchy food across breakfasts each week, for example cornflakes, wholegrain toast and porridge.	~	Cereal, toast, porridge, toasted rea cakes, crumpets and bagels offered
1.3	Provide a variety of wholegrain and white starchy foods each week. It is good practice to provide wholegrain varieties at least once a week at breakfast.	~	
1.4	Choose breakfast cereals with the lowest sugar content. Choose those which are labelled as 'low'(green) or 'medium' (amber) in sugar. Avoid cereals labelled as 'high' (red) in sugar such as sugar-coated or chocolate- flavoured cereals.	✓	Rice crispies, Weetabix and cornflakes offered
1.5	Provide a portion of fruit and/or vegetables as part of breakfast each day.	\checkmark	Apples, Raisins, Oranges, bananas, melon are offered
1.6	Provide only fresh tap water and plain milk for children to drink.	~	Milk and water is available across the day
1.7	Ensure children have access to fresh drinking water.	\checkmark	
Morr	ning and afternoon snacks		
2.1	Provide a starchy food such as crackers, breadsticks, rice cakes as part of at least one snack each day.	~	Starchy snacks are offered as part of daily mid- afternoon snacks
2.2	Provide at least three different varieties of starchy food across snacks each week.	✓	A great variety of starchy snacks are included in the menu including crackers, pitta bread, bagels, bread sticks, savoury scones, pastry pin wheels, and crumpets.
2.3	Provide fruit or vegetables as part of some snacks and provide a variety across the week.	~	Vegetable crudite and seasonal fruits are offered at each mid-morning snack and also with the mid-afternoon snack.
2.4	Dried fruit should not be provided as part of snacks.	\checkmark	Raisins are only offered as part of a meal, not as a snack.
2.5	Beans, pulses, fish, eggs, meat (e.g. red meat or poultry) or other proteins (e.g. meat alternatives) can be provided as part of snacks once or twice each week.	~	All dips and humus include chickpeas or beans as a base and meet the protein requirement. Vegan sausage rolls are also offered
2.6	Provide only fresh tap water and plain milk for children to drink. Ensure children have access to fresh drinking water	✓	



2.7	Avoid sweet foods such as cakes, biscuits and confectionery between meals.	✓	The homemade scones provided are savoury with no added sugar, such as homemade tomato & basil and cheese and tomato scones.
-----	--	---	---

Food and drink guidelines		Has the food and drink guideline been met?			
		Yes/No	Action to take if guideline is not met		
Lunc	h				
3.1	Each lunch should include a main course and a dessert. Vary the desserts you offer with lunch each week (e.g. fruit-based such as apple crumble, dairy- based desserts such as rice pudding) and limit provision of cakes and biscuits.	~	A two course lunch is offered, main course and dessert. There are a variety of homemade desserts offered each week, including, homemade fruit yoghurt, fresh fruits, fruit crumble, fruit jelly, dried fruit cookies and occasional fruit based sponges are on the menu.		
3.2	Provide a portion of starchy food as part of lunch every day.	\checkmark			
3.3	Provide at least three different starchy foods as part of lunches each week.	\checkmark	Rice, potatoes, pasta and bread		
3.4	Provide a variety of wholegrain and white starchy foods each week: it is good practice to provide wholegrain varieties at least once a week at lunch.	\checkmark	Wholegrains are included in both main course and desserts, brown rice and wholemeal flour.		
3.5	Limit starchy foods which have been fried, to once a week at lunch.	\checkmark			
3.6	Provide at least one portion of vegetables and/or fruit as part of lunch every day and provide a variety across the week.	\checkmark			
3.7	Provide a portion of beans, pulses, fish, eggs, meat (e.g. red meat or poultry) or other proteins (e.g. meat alternatives) as part of lunch each day.	✓	Protein (meat, fish or meat alternatives) are incorporated into all the recipes of each lunch across the menu cycle daily. The vegetarian lunch dishes are fortified with either Quorn or pulses, for example spaghetti in week four is fortified with pesto made with pulses and the stir fry in week 2 includes Quorn		
3.8	Provide a variety of meat, fish and meat alternatives as part of lunch across the week.	\checkmark	All lunch include either a meat, poultry or plant based protein.		
3.9	Provide one lunch for all children each week which uses a pulses or meat alternatives as the protein source.	✓	Each week the menu offers a meat free alternative protein such as Quorn, soya, beans and lentils		
3.10	Provide oily fish (such as salmon, sardines or pilchards) at least once every three weeks; this can be provided as part of lunch or tea.	~	Salmon is included twice in the four-week menu cycle. In week 1 there are salmon, tuna, lime & leek fishcakes and in week 3 tuna and salmon, dill pasta bake.		
3.11	Provide only fresh tap water and plain milk for children to drink.	✓			
3.12	Ensure children have access to fresh drinking water.	\checkmark			

Теа



4.1	Each tea should include a main course and a dessert. Vary the desserts you offer. For light meals (typically tea) provide fruit (such as seasonal fruit salad) and/or dairy-based desserts such as yoghurt and avoid cakes and biscuits.	\checkmark	Fresh fruit is the only tea dessert option.
4.2	Provide a portion of starchy food as part of tea every day.	~	
4.3	Provide at least three different starchy foods as part of tea each week.	\checkmark	Pasta, bread and potatoes are offered as part of tea each week.
4.4	Provide a variety of wholegrain and white starchy foods each week: it is good practice to provide wholegrain varieties at least once a week at tea.	~	Wholemeal bread is offered. We also recommend including Wholemeal rice or pasta occasionally.
4.5	Limit starchy foods which have been fried, to once a week at tea.	~	No fried food are included in the tea options.
4.6	Provide a portion of fruit and/or vegetables as part of tea every day and provide a variety across the week.	✓	
4.8	Provide a variety of pulses, fish, eggs, meat (e.g. red meat or poultry) or other proteins (e.g. meat alternatives) as part of tea across the week.	\checkmark	Protein (meat, fish or meat alternatives) is incorporated into the recipes of each tea across the menu cycle.
4.9	Provide one tea for all children each week which uses pulses or a meat alternative as the protein source.	\checkmark	A variety of vegetable soups with either lentils or beans are offered once each week across the menu cycle.
4.10	Provide oily fish (such as salmon, sardines or pilchards) at least once every three weeks; this can be provided as part of lunch or tea.	✓	Oily fish is offered as part of the lunch menu twice in the four-week menu cycle.
4.11	Provide only fresh tap water and plain milk for children to drink.	~	
4.12	Ensure children have access to fresh drinking water.	\checkmark	

	Has the food and drink guideline been met?		
Food and drink guidelines	Yes/No Action to take if guideline is not met		
	· ·		

Part 2: Used to check that your food and drink provision is varied, and the types and amounts of food and drink provided are appropriate. The guidelines in part 2 apply to all meals and snacks.

Portic	Portion sizes					
5.1	Check that portion sizes for meals and snacks are in line with the typical portion size information within the practical guide.		Not checked with this review			
Potat	oes, bread, rice, pasta and other starchy carbohydrates					
6.1	Provide at least three different varieties of starchy foods across each day.	\checkmark				
6.2	Choose bread and bread products with a lower salt content. Choose those which are labelled as 'low' (green) or 'medium' (amber) in salt.	~				



6.3	Limit canned pasta in sauce (such as spaghetti hoops).	\checkmark	
6.4	Avoid flavoured dried rice, pasta and noodle products e.g. packets and pots of instant flavoured noodles, pasta and rice.	\checkmark	
Fruit a	and vegetables		
7.1	Children should have five portions of fruit and vegetables each day, including those provided at home.	\checkmark	
7.2	Provide a variety of fruit and vegetables. Aim to offer at least four different types during full day care, and two different types during sessional care.	✓	
7.3	Provide dried fruit at meal times only.	\checkmark	
7.4	Choose canned vegetables and pulses with no added salt or sugar.	\checkmark	
7.5	Choose fruit canned in natural juice without sugar.	\checkmark	
7.6	Choose reduced salt and sugar baked beans and serve these as a vegetable only once each week.	~	
Beans	s, pulses, fish, eggs, meat and other proteins		
8.1	Provide vegetarian or vegan children with two or three portions of meat alternatives, pulses or nuts each day.	\checkmark	
8.2	Limit bought and homemade meat products to no more than once a week.	\checkmark	
8.3	Limit bought and homemade fish products to no more than once a week.	\checkmark	
8.4	Limit bought and homemade products made from meat alternatives to no more than once a week.	\checkmark	
8.5	Avoid shark, swordfish and marlin, raw shellfish, raw or partially cooked eggs and whole nuts.	\checkmark	
Dairy	and alternatives Setting to review the following and conf	irm stan	dards are being met
9.1	It is best practice to provide three portions of milk and dairy foods each day, from meals, snacks and drinks, (including those provided at home).	\checkmark	
9.2	Provide whole milk for children from one year up to two years as their main drink.	~	
9.3	Provide full-fat yoghurts, fromage frais, cheese and cream cheese for children aged up to two years.	~	
9.4	Avoid skimmed milk and skimmed milk products.	\checkmark	
9.5	Choose yoghurts and fromage frais which are lower in sugar.	\checkmark	
9.6	Avoid ice cream and sweetened frozen yoghurt between meals. Ice cream can be served once a week with a fruit-based dessert as part of a meal.	~	
9.7	Avoid canned milks, sweetened milk drinks and sweetened milkshakes.		



		\checkmark			
9.8	Avoid unpasteurised milk, milk drinks and cheese, mould-ripened cheese, soft blue-veined cheese and rice milk drinks.	~			
Drink	s - Setting to review the following and confirm standards	are bein	ng met		
10.1	Children must have access to drinking water throughout the day.	\checkmark			
10.2	Provide only fresh tap water and plain milk for children to drink.	\checkmark			
10.3	Avoid fruit juice (even diluted fruit juice).	\checkmark	We have assumed the new 'no juice' recommendation is being met		
10.4	Avoid fruit juice drinks, squash, fizzy drinks, energy drinks and flavoured water.	\checkmark			
10.5	Avoid tea, coffee, cola and other drinks containing caffeine or other stimulants.	\checkmark			
Redu	cing saturated fat, sugar and salt - Setting to review the f	ollowing	and confirm standards are being met		
11.1	Limit use of pastry to once a week.	~			
11.2	Avoid salt when cooking, and do not provide salt for children to add to their food.	\checkmark			
11.3	Limit the use of ready-made sauces, soups, stocks and gravy granules.	>			
11.4	Limit use of condiments such as ketchup.	>			
11.5	Avoid salty snacks such as crisps.	\checkmark			
11.6	Avoid sweet foods such as cakes, biscuits and confectionery between meals.	\checkmark			
11.7	Limit confectionery such as chocolate chips and use only as part of cakes or desserts.	\checkmark			
Other	Other products to avoid - Setting to review the following and confirm standards are being met				
12.1	Avoid food and drinks containing artificial sweeteners, flavour enhancers (such as monosodium glutamate (MSG)), and the artificial colours and preservatives.	\checkmark			
12.2	Avoid ready meals, takeaways and functional foods, such as cholesterol-lowering products.	\checkmark			



Monday	<u>Tuesday</u>	Wednesday	<u>Thursday</u>	<u>Friday</u>
Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM
Toasted bagels (G,Ve) with	Rice krispies (Ve), milk	Weetabix (G,Ve), milk	Toasted tea cakes (G,E,V),	Cornflakes (G,Ve), milk(Mk,V),
spread (Ve), milk (Mk,V), apples	(Mk,V), oranges (Ve)	(Mk,V), bananas (Ve)	melon (Ve)	oranges
(Ve)	Mid-morning snack10am	Mid-morning snack10am	Mid-morning snack10am	(Ve)
Mid-morning snack10am	Vegetable crudité	Fresh cut fruits (Ve)	Vegetable crudité	Mid-morning snack10am
Fresh cut fruits (Ve)				Fresh cut fruits (Ve)
Lunch 11.45am-12.15pm Homemade pesto mac& cheese (G,Mk,V) Tiger baguette(G,V) Steamed broccoli& corn (Ve) Reduced sugar Victoria sponge (G,E,V)& vanilla custard (Mk,V) Milk(Mk,V),fruits(Ve)	Lunch 11.45am-12.15pm Sweet chilli chicken fried rice 50/50 (Sb) Steamed peas& green beans (Ve) Sliced bloomer(G,Ve) Mixed fruit jelly(Ve) Milk(Mk,V),fruits(Ve)	Lunch 11.45am-12.15pm Slow cooked Bolognese(Ce), spaghetti (G,Ve) Sliced bread(,Ve) Lettuce, cucumber &carrot (Ve) Homemade mango& banana yogurt(Mk,V) Milk(Mk,V),fruits(Ve)	Lunch 11.45am-12.15pm Dry rub tandoori chicken Homemade curry sauce(G,V) Coconut rice 50/50 (Ve) Steamed carrots and peas(Ve) Bananas& oranges (Ve) Milk(Mk,V)	Lunch 11.45am-12.15pm Homemade salmon, tuna, lime &leek fishcakes(G,F) Reduced sugar baked beans (Ve) Choice of bread (G,Ve) Reduced sugar vanilla &raspberry sponge(G,E,V), vanilla custard (Mk,V) Milk(Mk,V),fruits(Ve)
Afternoon snack 2PM Homemade berry and banana yogurt (Mk,V), pitta bread (G,Ve) Tea 4PM Tuna & corn sandwich on bloomer (G,F) Seasonal fruits, milk (Mk,V)	Afternoon snack 2PM Toasted crumpets (G,Ve), apple wedges (Ve) Tea 4PM Homemade cream of potato, leek and peas soup (Ve), sliced baguette (G,V) Seasonal fruits, milk (Mk,V)	Afternoon snack 2PM Toasted bagels (G,Ve), tomato wedges (Ve) Tea 4PM Reduced sugar baked beans (Ve), choice of bread (G,Ve) Seasonal fruits, milk (Mk,V)	Afternoon snack 2PM Avocado and lime humus (Ve), bread sticks (G,Ve) Tea 4PM Butternut squash, sweet potato and beans soup (Ve), bread (G,V) Seasonal fruits, milk (Mk,V)	Afternoon snack 2PM Vegan sausage rolls (G,Ve) Tea 4PM Pasta salad in tomato& basil sauce with beans and fresh veg (G,Ve) bread (G,V) Seasonal fruits, milk (Mk,V)



broccoli& carrots (Ve)Chilli con carne, cheese (Mk,V)wedges (Ve) Steamed peasbaguette (,Ve) Steamed(Ve) Cheese (Mk,V)Sliced bloomer (G,Ve)Steamed rice 50/50(Ve) SteamedApples & bananas (Ve)Apples & bananas (Ve)Milk(Mk,V)Steamed strawberrySteamed st	April to July 2024						
Cornflakes (G,Ve), milk(Mk,V), oranges (Ve)Toasted bagels (G,Ve) with spread (Ve), milk (Mk,V), apples (Ve)Rice krispies (Ve), milk (Mk,V), oranges (Ve)Weetabix (G,Ve), milk (Mk,V), bananas (Ve)Porridge (G,Mk), raisins (Ve), milk (Mk,V), Apples (Ve)Mid-morning snack10am Fresh cut fruits (Ve)Mid-morning snack10am Vegetable cruditéWeetabix (G,Ve), milk (Mk,V), bananas (Ve)Porridge (G,Mk), raisins (Ve), milk (Mk,V), Apples (Ve)Lunch 11.45am-12.15pm fry (G,Sb,E,V) Steamed broccolik carrots (Ve)Fresh cut fruits (Ve) LunchLunch 11.45am-12.15pm Pulled chicken mac& cheese(G,Mk)Mid-morning snack10am Vegetable cruditéVegetable crudité Lunch 11.45am-12.15pmSliced bloomer (G,Ve) Homemade wholemeal fruit crumble (G,Ve), custard (Mk,V) Milk(Mk,V),fruits(Ve)Afternoon snack 2PM Sweet potato humus(Ve) Bread sticks (G, Ve)Afternoon snack 2PM Sweet potato humus(Ve) Bread sticks (G, Ve)Milk(Mk,V), fruits(Ve) Afternoon snack 2PM Sweet potato humus(Ve) Bread sticks (G, Ve)Milk(Mk,V), fruits(Ve) Afternoon snack 2PM Sweet potato humus(Ve) Bread sticks (G, Ve)Tea 4PM Chicken, roasted vegetables and herbs pasta salad (G) Sliced baguette (G,Ve)Tea 4PM Chicken, roasted vegetables and herbs pasta salad (G) Sliced baguette (G,Ve)Tea 4PM Chicken, roasted vegetables and herbs pasta salad (G) Sliced baguette (G,Ve)Tea 4PM Chicken, roasted vegetables and herbs pasta salad (G) SlicedTea 4PM Chicken, roasted vegetables and herbs pasta salad (G) Sliced baguette (G,Ve)Tea 4PM Chicken, roasted vegetables and herbs pasta salad (G) SlicedTea 4PM Chicken, roasted vegetables	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>		
oranges (ve)(Ve), milk (Mk,V), apples (ve)(Mk,V), oranges (ve)(Mk,V), bananas (ve)(Ve), milk (Mk,V), Apples (ve)Mid-morning snack10am Fresh cut fruits (ve)Mid-morning snack10am Vegetable crudité(Ve), milk (Mk,V), Apples (ve)Lunch 11.45am-12.15pm Guorn & crunchy vegetable star fry (G,SE,V) Steamed broccolik carrots (ve)Fresh cut fruits (ve)Mid-morning snack10am Vegetable cruditéFresh cut fruits (ve)Mid-morning snack10am Vegetable cruditéLunch 11.45am-12.15pm fry (G,SE,V) Steamed broccolik carrots (ve)Lunch 11.45am-12.15pm (Lili con carne, cheese (Mk,V) Steamed rice So/So(Ve) Steamed sweetcorn (ve)Mid.(Ms,V)Milk(Mk,V)Milk(Mk,V)Milk(Mk,V)Afternoon snack 2PM bagels (G,Ve), spread(Ve), sliced cuumber (ve)Afternoon snack 2PM Sweet potato humus(ve) Bread sticks (G, Ve)Afternoon snack 2PM Sweet potato humus(ve) Bread sticks (G, Ve)Tea 4PM Chicken, roasted vegetable sand herbs pasta salad (G) Sliced baguette (G,Ve)Tea 4PM Cheese Chease (M,W), Ky, Spread (Ve) Seasonal fruits, milk (Mk,V)Tea 4PM Cheese Chease Sup (Ve)Tea 4PM Cheese Chease Sup (Ve) Seasonal fruits, milk (Mk,V), fruits(Ve)Tea 4PM Chease Chease Sup (Ve) Seasonal fruits, milk (Mk,V), fruits, milk (Mk,V)	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM		
Mid-morning snack10am Fresh cut fruits (ve)Mid-morning snack10amMid-morning snack10am vegetable cruditéMid-morning snac	Cornflakes (G,Ve), milk(Mk,V),	Toasted bagels (G,Ve) with spread	Rice krispies (Ve), milk	Weetabix (G,Ve), milk	Porridge (G,Mk), raisins		
Fresh cut fruits (Ve)Mid-morning snack10amMid-morning snack10amFresh cut fruits (Ve)Mid-morning snack10amLunch 11.45am-12.15pmFresh cut fruits (Ve)LunchLunch 11.45am-12.15pmLunch 11.45am-12.15pmfry (G,Sb,E,V) Steamed brocolik carrots (Ve)Chilli con carne, cheese (Mk,V)Eish fingers (G,F)PottoPottoSliced bloomer (G,Ve)Steamed fruitSweetcorn (Ve)Apples & bananas (Ve)Afternoon snack 2PMSteamed fixe 50/50(Ve) Steamed (Ve) Sliced bread (G,Ve)Afternoon snack 2PMSteamed slice carrots (Ve)Steamed slice carrots (Ve)Milk(Mk,V), fruits(Ve)Afternoon snack 2PMSweet potato humus(Ve)Milk(Mk,V), fruits(Ve)Milk(Mk,V), fruits(Ve)Afternoon snack 2PM sliced cucumber (Ve)Afternoon snack 2PMSweet potato humus(Ve)Tea 4PMChicken, roasted vegetables and herbs pasta salad (G)Sliced baguette (S,Ve)Tea 4PMChicken, roasted vegetables and herbs pasta salad (G)Sliced baguette (G,Ve)Tea 4PMCream of mixed vegetables and haricot tomato ess.cucumber(Ve)Cream of mixed vegetables and haricot tomatoes&cucumber(Ve)Cream of mixed vegetables and haricot tomatoes&cucumber(Ve)Seasonal fruits, milk (Mk,V)Seasonal fruits, milk (Mk,V)Seasonal fruits, milk (Mk,V)Seasonal fruits, milk (Mk,V)	oranges (Ve)	(Ve), milk (Mk,V), apples (Ve)	(Mk,V), oranges (Ve)	(Mk,V), bananas (Ve)	(Ve), milk (Mk,V), Apples		
Internorming shacktdamInternorming shacktdamInternorming shacktdamLunch 11.45am-12.15pmFresh cut fruits (Ve)Uunch 11.45am-12.15pmVegetable cruditéQuorn & crunchy vegetable stirLunchLunch 11.45am-12.15pmLunch 11.45am-12.15pmfry (G,Sb,E,V) Steamed11.45am-12.15pmFish fingers (G,F)Potatobroccoli& carrots (Ve)Steamed rice 50/50(Ve) SteamedSteamed rice 50/50(Ve) SteamedVegetable cruditéLunch 11.45am-12.15pmGiced bioomer (G,Ve)Steamed rice 50/50(Ve) SteamedSteamed rice 50/50(Ve) SteamedSteamed rice 50/50(Ve) SteamedNilk(Mk,V)Homemade wholemeal fruitsweetcorn (Ve)Apples & bananas (Ve)Milk(Mk,V)Steamed strawberryMilk(Mk,V), fruits(Ve)Milk(Mk,V), fruits(Ve)Afternoon snack 2PMSweet potato humus(Ve)Milk(Mk,V), fruits(Ve)Afternoon snack 2PM ToastedVegetable sand herbs pastaSweet potato humus(Ve)Afternoon snack 2PMbagels(G,Ve), spread(Ve),Crackers(G,Ve)Tea 4PMChicken, roastedVegetables and herbs pastasoup (Ve), bread (G,Ve)Reduced sugar baked beans (Ve)Seasonal fruits, milk (Mk,V)Seasonal fruits, milk (Mk,V)Seasonal fruits, milk (Mk,V)		Mid-morning			· · ,		
Quorn & crunchy vegetable stir fry (G,Sb,E,V) SteamedLunchLunch 11.45am-12.15pmFish fingers (G,F) Potato wedges (Ve) Steamed peas (Ve) Sliced bloomer (G,Ve)Lunch 11.45am-12.15pmPulled chicken mac& cheese (G,Mk)Reduced sugar baked beans (Ve) Sliced bread (G,Ve)Homemade wholemeal fruit crumble (G,Ve), custard (Mk,V) Milk(Mk,V),fruits(Ve)Steamed rice 50/50(Ve) Steamed sweetcorn (Ve)Sied bread (G,Ve) Apples & bananas (Ve) Milk(Mk,V)Steamed rice 50/50(Ve) Steamed (Ve) Sliced bread (G,Ve)Steamed rice 50/50(Ve) Steamed (Ve) Sliced bread (G,Ve)Reduced sugar lime sponge (Ve) Sliced bread (G,Ve)Keduced sugar lime sponge (G,E,V),custard (Mk,V)Milk(Mk,V)Steamed strawberry & &banana yogurt (Mk,V) Milk(Mk,V),fruits(Ve)Steamed scores (Milk(Mk,V),fruits(Ve)Steamed scores (Milk(Mk,V),fruits(Ve)Steamed scores (Milk(Mk,V),fruits(Ve)Steamed scores (G,Mk,V),fruits(Ve)Steamed tomato scores (G,Mk,V),fruits(Ve)Steamed tomato scores (G,Mk,V), Fgg(E,V)or tuna(F) rolls (G,Ve) SlicedHomemade tomato scores (G,Mk,V), Egg(E,V) or tuna(F) rolls (G,Ve) SlicedHomemade tomato scores (G,Mk,V), Egg(E,V) or tuna(F) rolls (G,Ve) SlicedSteam of mixed vegetables and heris pasta salad (G) SlicedTea 4PM baguette (G,Ve)Cream of mixed vegetables and haricot beans soup (Ve)Cream of mixed vegetables and haricot beans soup (Ve)Steamed fruits, milk (Mk,V)		snack10am					
In Yooso, Yoos	Quorn & crunchy vegetable stir	Lunch	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • •	•		
Homemade wholemeal fruit crumble (G,Ve), custard (Mk,V) Milk(Mk,V),fruits(Ve)Sweetcorn (Ve) Reduced sugar lime sponge (G,E,V),custard (Mk,V) Milk(Mk,V),fruits(Ve)Apples & bananas (Ve) Milk(Mk,V)Green beans (Ve) Homemade strawberry &banana yogurt (Mk,V) Milk(Mk,V),fruits(Ve)Steamed sliced carrots(Ve) Cucumber sticks (Ve) Fruit yebanana yogurt (Mk,V) Milk(Mk,V),fruits(Ve)Afternoon snack 2PM Toasted bagels(G,Ve), spread(Ve), sliced cucumber (Ve)Afternoon snack 2PM Banana& vanilla yogurt (Mk,V), crackers(G,Ve)Afternoon snack 2PM Bread sticks (G, Ve)Afternoon snack 2PM Tea 4PM Chicken, roasted vegetables and herbs pasta salad (G)Tea 4PM Sliced SlicedTea 4PM Chicken, roasted vegetables and herbs pasta salad (G)Tea 4PM Sliced SlicedTea 4PM Chicken, roasted vegetables and herbs pasta salad (G)Tea 4PM Sliced SlicedTea 4PM Sliced SlicedTea 4PM Sliced Seasonal fruits, milk (Mk,V)Choice of bread (G,Ve)Steamed sliced carrots(Ve) Cucumber sticks (Ve)Steamed sliced carrots(Ve) Cucumber sticks (Ve)Steamed sliced carrots(Ve) Cucumber sticks (Ve)Steamed sliced carrots(Ve) Cucumber sticks (Ve)Steamed sliced carrots(Ve) Cucumber sticks (Ve)Homemade tomato, basil& rice soup (Ve), bread (G,Ve)Afternoon snack 2PM Chicken, roasted vegetables and herbs pasta salad (G)Afternoon snack 2PM SlicedTea 4PM Chicken, roasted vegetables and herbs pasta salad (G)Tea 4PM Sliced SlicedTea 4PM Chicken, roasted vegetables and herbs pasta salad (G)Tea 4PM Sliced SlicedTea 4PM Sliced Sliced Sliced Seasonal fruits, milk (Mk	broccoli& carrots (Ve)	Chilli con carne, cheese (Mk,V)	wedges (Ve) Steamed peas		Reduced sugar baked beans (Ve) Cheese (Mk,V)		
Milk(Mk,V),fruits(Ve)(G,E,V),custard (Mk,V) Milk(Mk,V),fruits(Ve)Afternoon snack 2PM Milk(Mk,V),fruits(Ve)Afternoon snack 2PM Sweet potato humus(Ve) 	Homemade wholemeal fruit	sweetcorn (Ve)	Apples & bananas (Ve)	Homemade strawberry	Steamed sliced carrots(Ve) Cucumber sticks (Ve) Fruit		
Atternoon snack 2PW roasted bagels(G,Ve), spread(Ve), sliced cucumber (Ve)Afternoon snack 2PM Banana& vanilla yogurt (Mk,V), 	Milk(Mk,V),fruits(Ve)	(G,E,V),custard (Mk,V)	Afternoon snack 2PM	Milk(Mk,V),fruits(Ve)	Milk(Mk,V),fruits(Ve)		
Tea 4PM Crackers(G,Ve) Tea 4PM Creat 4PM Creat 4PM Creat 4PM Homemade tomato, basil&rice soup (Ve), bread (G,Ve) Tea 4PM (Mk,V), Egg(E,V)or tuna(F) Cream of mixed Keduced sugar baked beans (Ve), Seasonal fruits, milk (Mk,V) Reduced sugar baked beans (Ve), choice of bread (G,Ve) Vegetables and herbs pasta Tomatoes&cucumber(Ve) beans soup (Ve) Seasonal fruits, milk (Mk,V) Choice of bread (G,Ve) Cream of mixed beans soup (Ve)	bagels(G,Ve), spread(Ve),			Crackers(G,Ve), spread(Ve), tomato wedges(Ve)	Homemade tomato scones (G,Mk,V)spread (Ve)		
Homemade tomato, basil&rice soup (Ve), bread (G,Ve)Tea 4PMVegetables and herbs pasta salad (G)Tomatoes&cucumber(Ve) Seasonal fruits, milk (Mk,V)beans soup (Ve)Seasonal fruits, milk (Mk,V)Choice of bread (G,Ve)baguette (G,Ve)Tomatoes&cucumber(Ve) Seasonal fruits, milk (Mk,V)beans soup (Ve) Seasonal fruits, milk (Mk,V)beans soup (Ve) Seasonal fruits, milk (Mk,V)	Tea 4PM		Chicken, roasted	(Mk,V), Egg(E,V)or tuna(F)	Cream of mixed		
Socopol truits milk (MkV) \rightarrow 243011d111115,1111K11V1K1	soup (Ve), bread (G,Ve)	Reduced sugar baked beans (Ve),	salad (G) Sliced	Tomatoes&cucumber(Ve)	beans soup (Ve)		



Monday	Tuesday	Wednesday	Thursday	Friday
Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM
Toasted tea cakes (G,E,V),	Cornflakes (G,Ve), milk(Mk,V),	Toasted bagels (G,Ve)	Rice krispies (Ve), milk	Weetabix (G,Ve), milk
melon (Ve)	oranges (Ve)	spread (Ve), milk (Mk,V),	(Mk,V), oranges (Ve)	(Mk,V), bananas (Ve)
Mid-morning snack10am	Mid-morning snack10am	apples (Ve)	Mid-morning snack10am	Mid-morning snack10am
Fresh cut fruits (Ve) Lunch 11.45am-12.15pm Oven baked sausages (G,Sb,Se,Ve) Gravy(Ve) Dill new potatoes (Ve) Steamed Peas& carrots(Ve) Reduced sugar orange drizzle (G,E,V), Vanilla custard (Mk,V) Milk(Mk,V),fruits(Ve) Afternoon snack 2PM Roasted pepper humus (Ve) bread sticks(G,Ve) Tea 4PM Tuna, peppers, corn and cucumber pasta salad(G,F) Seasonal fruits, milk (Mk,V)	Vegetable crudité Lunch 11.45am-12.15pm Slow cooked beef lasagna (G,Mk,E), Sliced tiger baguette (G,Ve) Lettuce, corn& cucumber salad (Ve) Bananas and apple wedges (Ve) Milk(Mk,V) Afternoon snack 2PM Toasted bagels(G,Ve), spread (Ve), tomatoes (Ve) Tea 4PM Coconut milk, carrot, butter beans & pumpkin soup (Ve), bread(G,Ve) Seasonal fruits, milk (Mk,V)	Mid-morning snack10am Fresh cut fruits (Ve) Lunch 11.45am-12.15pm Homemade BBQ chicken drums Potato wedges (Ve) Summery green coleslaw (Ve) Homemade banana& raspberry yogurt (Mk,V) Milk(Mk,V),fruits(Ve) Afternoon snack 2PM Cheese & pesto pinwheels (G,Mk,V) Tea 4PM Reduced sugar baked beans (Ve), choice of bread (G,Ve) Seasonal fruits, milk (Mk,V)	Fresh cut fruits (Ve) Lunch 11.45am-12.15pm Mixed vegetables and pineapple fried rice (Sb,Ve) Steamed broccoli (Ve) Sliced bread (G,Ve) Reduced sugar chocolate cake (G,E,V), custard(Mk,V) Milk(Mk,V),fruits(Ve) Afternoon snack 2PM Toasted crumpets (G,Ve), spread (Ve)cucumber (Ve) Tea 4PM Homemade mixed vegetables and cannelloni beans soup(Ve)bread (G,Ve) Seasonal fruits, milk (Mk,V)	Vegetable crudité Lunch 11.45am-12.15pm Tuna,salmon & dill pasta bake(G,F,Mk) Steamed green beans& corn (Ve) Bread (G,Ve) Wholemeal fruit crumble(G,Ve) & vanilla custard (Mk,V) Milk(Mk,V),fruits(Ve) Afternoon snack 2PM Homemade banana& mango yogurt (Mk,V), pitta bread(G,Ve) Tea 4PM Sandwiches/rolls(G,Ve) with:chicken, Egg(E,V), cheese(Mk,V), humus(Ve) Seasonal fruits, milk (Mk,V)



Monday	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>
Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM	Breakfast 08.00-8.30AM
Weetabix (G,Ve), milk	Porridge (G,Mk), raisins	Cornflakes (G,Ve),	Toasted bagels (G,Ve)	Rice krispies (Ve), milk
(Mk,V), bananas (Ve)	(Ve), milk (Mk,V), Apples	milk(Mk,V), oranges (Ve)	spread(Ve), milk (Mk,V),	(Mk,V), oranges (Ve)
	(Ve)	Mid-morning snack10am	apples (Ve)	Mid-morning snack10am
Mid-morning snack10am	Mid-morning snack10am	Fresh cut fruits (Ve)	Mid-morning	Fresh cut fruits (Ve)
Fresh cut fruits (Ve)	Vegetable crudité	Lunch 11 AFour 12 1From	snack10am	Lunch 11.45am-12.15pm
	Lunch 11.45am-12.15pm	Lunch 11.45am-12.15pm	Vegetable crudité	Homemade green pesto,
Lunch 11.45am-12.15pm	Chicken, potatoes&	Lamb, carrots, peas and	Lunch 11.45am-12.15pm	roasted carrots& peppers
Quorn, peppers and	chickpeas curry	peppers pasta bake (G,Mk)	Fish fingers (G,F)	with spaghetti (G,Ve)
cheese pizza (G,Mk,Ve)	Steamed rice 50/50	Sliced bloomer (G,Ve)	Herb new potatoes (Ve)	Cheese (Mk,V)
Potato wedges(Ve)	Steamed peas& green	Iceberg, cucumber, corn	Reduced sugar baked	Steamed broccoli (Ve)
Steamed corn (Ve)	beans (Ve) Homemade	and mint (Ve)	beans (Ve)	Tiger baguette (G,Ve)
Mixed fruit jelly (Ve)	banana& raspberry	Apricot& lemon sponge	Apple and orange	Raisin cookies (G,E,V)&
Milk(Mk,V),fruits(Ve)	yogurt(Mk,V)	(G,E,V), custard (Mk,V)	wedges(Ve) Milk(Mk,V)	custard (Mk,V)
	Milk(Mk,V),fruits(Ve)	Milk(Mk,V),fruits(Ve)		Milk(Mk,V),fruits(Ve)
Afternoon snack 2PM		Afternoon snack 2PM	Afternoon snack 2PM	
Homemade mixed fruit	Afternoon snack 2PM	Beetroot humus (Ve)	Toasted bagels(G,Ve),	Afternoon snack 2PM
<pre>yogurt(Mk,V) pitta(G,Ve)</pre>	Homemade Cheese	bread sticks (G,Ve)	spread (Ve), cucumber(Ve)	Crackers (G,Ve),
	&onion scones(G,Mk,V)		Tea 4PM	cheese(Mk,V)
Tea 4PM	Tea 4PM	Tea 4PM	Pasta salad in rich	Tea 4PM
Homemade lentils, and	Reduced sugar baked	Sandwiches/rolls(G,Ve)	vegetable & tomato sauce	Homemade potato, butter
root vegetable soup (Ve),	beans (Ve), choice of	with:chicken, Egg(E,V),	with haricot beans (G,Ve),	beans, pumpkin creamed
bread (G,Ve)	bread (G,Ve)	cheese(Mk,V), humus(Ve)	bread (G,Ve)	soup (Ve), bread (G,Ve)
Seasonal frust, milk (Mk,	Seasonal fruits, milk	Seasonal fruits, milk (Mk)	Seasonal fruits, milk	Seasonal fruits, milk
	(Mk,V)		(Mk,V)	(Mk,V)
			(,,	(, .)



Ce – Celery, G- Gluten, E – Eggs, F – Fish, L – Lupin, Mk – Milk, Mu – Mustard, P – Peanuts, Se – Sesame seeds, Sb – Soya bean, Su – Sulphur Dioxide,

N – Tree nuts, Mo – Molluscs, Cr – Crustaceans

Throughout the menu rice is always 50/50 white/wholegrain, as well as all our bread selection is a variety of different products such as: sliced bread, bloomer, pitta, rolls, and wraps all in white and wholemeal.

All of our pesto is homemade and always contains chickpeas or other bean and is nut free.

Throughout the day children have access to drinking water.

We may need to change a menu at short notice as we are experiencing food shortages as well as sharp increase in price. If that happens, we will notify individual rooms on the day.